



Cameo™ Series

For Business on The Go

Lightweight receipt printers keep your business moving.

Receipt printing is quick and efficient with lightweight, versatile Cameo mobile printers. Weighing as little as one pound, they are light, sleek and durable enough to carry and use anywhere. Easily clipped to a user's belt, Cameo printers simplify in-store customer order processing and payment via optional bi-directional MCRs (magnetic card readers) and smart card readers.

Wireless Communication

Communicate wirelessly with Cameo printers using a Symbol® terminal and Zebra Portable Radio (ZPR). Bluetooth™ technology and wireless LAN options are also available!

POINT-OF-TRANSACTION FLEXIBILITY

- Agents with handhelds and Cameo mobile receipt printers can get customers on their way faster at curbside or during in-lot rental car returns.
- Shorter lines mean happier customers. Receipt printers with credit card readers are used for queue busting in retail stores and fast food restaurants.



Connect with it. Count on it.™

weitere Informationen erhalten Sie bei: www.flexicom.de

FLEXICOM GmbH
An der Strusbek 30
D-22926 Ahrensburg
Telefon: 04102 / 46 16 50
Telefax : 04102 / 46 16 25
e-mail: service@flexicom.de

Cameo™ Series



LEADING EDGE CONNECTIVITY

- Cameo printers support a wide variety of serial and wireless communication options, including Bluetooth technology and IrDA.
- Integrated 802.11 wireless LAN radio (Cameo 3N).

LIGHTWEIGHT AND LONG-LASTING

- Printers weigh as little as one pound.
- High-performance battery power lasts more than eight hours on a single charge.

RUGGED DESIGN

- High-impact Texin® plastic housing.
- Withstand drops up to six feet.



Cameo 2™

The one-pound Cameo 2 is easy to wear and carry anywhere receipt printing is needed. With an optional magnetic card reader (MCR) and/or smart card reader (SCR), you can perform credit card transactions while staying mobile. The Cameo 2 is rugged—withstanding drops of up to six feet with boot—and is ideal for point-of-sale transactions, hospitality receipt printing, and transportation ticket printing.

MAXIMUM PRINT AREA

Width: 1.9"/48.3mm
Length (with standard memory):
11"/280mm

RESOLUTION

203dpi/8dots per mm

MAXIMUM PRINT SPEED

3"/76.2mm per second

MEMORY

256K SRAM; 1MB Flash

PHYSICAL CHARACTERISTICS

Width: 3.7"/94mm
Depth: 2.6"/66mm
Height: 6.6"/167.6mm
Weight (with battery): 1lbs./45kg

MEDIA SPECIFICATIONS

Receipt media width:
1"/25.4mm to 2.1"/53.3mm

Cameo 2SC™ /2 Plus™

The lightweight, one-pound Cameo 2SC and 2 Plus are Zebra's smallest, low-cost mobile receipt and label printers. The Cameo 2SC offers MCR and/or SCR for customer processing venues. The Cameo 2 Plus—with optional black bar sensor or linerless platen—is ideal for shelf labeling, price marking, product and bin labeling, and gaming/wager ticketing.

MAXIMUM PRINT AREA

Width: 1.9"/48.3mm
Length (with standard memory):
11"/280mm

RESOLUTION

203dpi/8dots per mm

MAXIMUM PRINT SPEED

3"/76.2mm per second

MEMORY

256K SRAM; 1MB Flash

PHYSICAL CHARACTERISTICS

Width: 3.7"/94mm
Depth: 2.6"/66mm
Height: 6.6"/167.6mm
With MCR: same
With SCR: add .7"/17.4mm
Weight (with battery): 1lbs./45kg

MEDIA SPECIFICATIONS

Receipt media width:
1"/25.4mm to 2.1"/53.3mm

weitere Informationen erhalten Sie bei:



www.flexicom.de

FLEXICOM GmbH
An der Strusbek 30
D-22926 Ahrensburg
Telefon: 04102 / 46 16 50
Telefax : 04102 / 46 16 25
e-mail: service@flexicom.de

Cameo™ Series



Cameo 3™

The 1.4-pound Cameo 3 may be lightweight, but its rugged design enables it to adapt to the harshest environments and survive drops of up to six feet with boot. This printer is ideal for auto rental point-of-transaction processing, route accounting and package delivery, airline boarding passes, gaming/wager tickets, and parking tickets and violations.

MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm
Length (with standard memory):
10" / 254mm

RESOLUTION

203dpi/8dots per mm

MAXIMUM PRINT SPEED

3" / 76.2mm per second

MEMORY

256K SRAM; 1MB Flash

PHYSICAL CHARACTERISTICS

Width: 4.6" / 117mm
Depth: 2.6" / 66mm
Height: 6.2" / 157.5mm
Weight (with battery): 1.4lbs. / .64kg

MEDIA SPECIFICATIONS

Receipt media width:
1.5" / 38mm to 3.1" / 78.7mm

Cameo 3SC™ / 3N™

Print customer receipts and tickets on the go with the compact 1.6-pound Cameo 3SC and 1.9-pound Cameo 3N. The Cameo 3SC offers MCR and/or SCR for customer processing venues, and the Cameo 3N with 802.11 wireless LAN is ideal for auto rental point-of-transaction processing, retail sales receipts, airline boarding passes, and gaming/lottery tickets.

MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm
Length (with standard memory):
10" / 254mm

RESOLUTION

203dpi/8dots per mm

MAXIMUM PRINT SPEED

3" / 76.2mm per second

MEMORY

256K SRAM; 1MB Flash

PHYSICAL CHARACTERISTICS

Width: 4.6" / 117mm
Depth:
2.6" / 66mm (3SC)
3.5" / 89mm (3N)
Height: 8.2" / 208mm

Weight (with battery):
1.6lbs. / .73kg (3SC)
1.9lbs. / .86kg (3N)

MEDIA SPECIFICATIONS

Receipt media width:
1.5" / 38mm to 3.1" / 78.7mm

Cameo PEP™

Intuitively designed and user-friendly, the 1.85-pound Cameo PEP (Portable Encoding Printer) makes processing transactions in high traffic areas quick and easy. Featuring an integrated magnetic card encoder (MCE), it can process ISO 7811 compliant credit cards, room keys, property passes and transportation tickets. The Cameo PEP is ideal for hotel guest check-in, gaming and casino property management, amusement park ride passes, and entertainment venue access.

MAXIMUM PRINT AREA

Width: 2.83" / 71.9mm
Length (with standard memory):
10" / 254mm

RESOLUTION

203dpi/8dots per mm

MAXIMUM PRINT SPEED

3" / 76.2mm per second

MEMORY

256K SRAM; 1MB Flash

PHYSICAL CHARACTERISTICS

Width: 5.3" / 135mm
Depth: 2.6" / 68mm
Height: 9" / 229mm
Weight (with battery): 1.85lbs. / .84kg

MEDIA SPECIFICATIONS

Receipt media width:
1.5" / 38mm to 3.1" / 78.7mm

For More Information

Contact your Zebra representative for additional printer specifications. To learn more about innovative mobile printers, call +1 800.423.0882, or visit our Web site www.zebra.com.



Avoid long lines and keep customers happy by processing purchases on the spot!

Cameo™ Series



Specifications at a Glance*

STANDARD FEATURES

Print method: Direct thermal
High-impact Texin® polycarbonate/polyurethane blended plastic construction
Smart battery management (monitors battery for longer life and performance)
1 MB Flash
Resident scalable fonts
16 bit external high-performance processor
Adjustable stock width control for variable media roll sizes
Paper out sensor
"Clamshell" design for easy media loading
Auto-temperature compensation and print contrast control
External power on/off control from keypad, terminal or printer
Windows® drivers (3.1, 95, 98, NT v.3.51, NT v.4.0, 2000, CE)

OPERATING CHARACTERISTICS

Environment

Operating Temp. 5°F/-15°C to 122°F/50°C
Storage Environ. -13°F/-25°C to 158°F/70°C
Operating Humidity 10-90% non-condensing
Storage Humidity 10-90% non-condensing

Electrical

8 pin RS-232 connector serial port
1.6 Ah NiMH
Shock-mounted internal components

Communication Interface Capabilities

RS-232 connector serial port; configurable baud rate 9,600-115,200, parity, data bits; software (XON/XOFF) or hardware (DTR/DSR) communication handshake protocols; error detection CRC protocol

Agency Approvals

FCC Class B Part 15; CE compliance

MEDIA CHARACTERISTICS

Labels/Receipts

Max. Roll Size
2.2" /56mm O.D. on a .75" /19mm I.D. core
(1.9" /48mm for Cameo 2 Plus)

Thickness

3.2mil to 5.0mil

Media Types

Continuous receipt (Cameo 2 and 3), black mark (Cameo 2 Plus)
For optimum print quality and printer performance, use Genuine Zebra supplies.

FONTS/GRAPHICS/SYMBOLOLOGIES

Character Fonts/Sets

25 types, downloadable, scalable fonts

Graphic Features

Supports user-defined fonts and graphics—including custom logos

Bar Code Symbolologies

Code 39, Code 93, Code 128, NW-7, Codabar, Interleaved 2 of 5, UPC-A, UPC-E, EAN-8, EAN-18, MSI/Plessey, Postnet, UCC/EAN-128
2-Dimensional: PDF-417, Maxi Code

OPTIONS AND ACCESSORIES

Zebra Portable Radio (ZPR) for Symbol SPT 1700/1800 & PPT 2700/2800 handheld devices
Bluetooth connectivity
802.11 Wireless LAN communication (Cameo 3N)
Wireless I/R communication
Environmental case for increased printer protection from harsh environments
Soft case, shoulder strap, or belt clip
UCN72 Fast Battery Chargers
UCN74 Quad Battery Chargers
Label Vista™ software for receipt and label design and font creation

*Specifications listed are for base model printers with standard features only unless otherwise noted. Specifications subject to change without notice. All product and brand names are trademarks of their respective companies. All rights reserved.

weitere Informationen erhalten Sie bei:



www.flexicom.de

FLEXICOM GmbH
An der Strusbek 30
D-22926 Ahrensburg
Telefon: 04102 / 46 16 50
Telefax : 04102 / 46 16 25
e-mail: service@flexicom.de



An ISO 9001 registered company
©2002 ZIH Corp.
Printed in U.S.A.
#11230L, Rev.4 (10/02), 10M